

Safety Data Sheet according to Reg. 878/2020/EU

CLEANER PRO

Safety Data Sheet dated 1/22/2024 version 1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Mixture identification:

Trade name: CLEANER PRO

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use: Consumer; Professional

Uses advised against: No other uses are foreseen besides those below identified.

Use description: Universal floor cleaner.

1.3. Details of the supplier of the safety data sheet

Company: FILA Solutions S.P.A. SB

Via Garibaldi, 58

35018 San Martino di Lupari (PD)

ITALIA

tel. +39.049.9467300

fax +39.049.9460753

Responsible: sds@filasolutions.com

1.4. Emergency telephone number

UNITED KINGDOM: NHS Direct 111 (In England, Scotland North Ireland) 08454647 (Wales); IRELAND 018092166

SECTION 2: Hazards identification



2.1. Classification of the substance or mixture

Regulation (EC) n. 1272/2008 (CLP)

Eye Irrit. 2 Causes serious eye irritation.

Adverse physicochemical, human health and environmental effects:

No other hazards

2.2. Label elements

Regulation (EC) No 1272/2008 (CLP):

Pictograms and Signal Words



Warning

Hazard statements

H319 Causes serious eye irritation.

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P264 Wash hands thoroughly after handling.

P280 Wear eye/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

Contains

Alcohols, C13-15, branched and linear, ethoxylated

Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts

1,2-benzisothiazol-3(2H)-one May produce an allergic reaction.

Regulation (EC) nr 648/2004 (Detergents).

Product contents:

Perfumes	< 5%
anionic surfactants	< 5%
non-ionic surfactants	5-15%

Preservatives:

1,2-benzisothiazol-3(2H)-one

Dir. 2004/42/EC (VOC directive)

This product contains max 0.07 g/l VOC.

Special provisions according to Annex XVII of REACH and subsequent amendments:

None.

2.3. Other hazards

No PBT, vPvB or endocrine disruptor substances present in concentration $\geq 0.1\%$.

Other Hazards: No other hazards

SECTION 3: Composition/information on ingredients

3.1. Substances

N.A.

3.2. Mixtures

Mixture identification: CLEANER PRO

Hazardous components within the meaning of the CLP regulation and related classification:

Qty	Name	Ident. Numb.	Classification	Registration Number
≥ 3 - $< 5\%$	Oxirane, 2-methyl-, polymer with oxirane, mono(2-propylheptyl) ether	CAS:166736-08-9 EC:605-450-7	Eye Irrit. 2, H319	
≥ 2.5 - $< 3\%$	1-methoxy-2-propanol	CAS:107-98-2 EC:203-539-1 Index:603-064-00-3	Flam. Liq. 3, H226; STOT SE 3, H336	01-2119457435-35
≥ 2.5 - $< 3\%$	Alcohols, C13-15, branched and linear, ethoxylated	CAS:157627-86-6 EC:500-337-8	Eye Dam. 1, H318; Acute Tox. 4, H302; Aquatic Chronic 3, H412	
≥ 1 - $< 2.5\%$	Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts	CAS:68439-57-6 EC:931-534-0	Skin Irrit. 2, H315; Eye Dam. 1, H318	01-2119513401-57-XXXX
≥ 1 - $< 2.5\%$	(2-methoxymethylethoxy)propanol	CAS:34590-94-8 EC:252-104-2	Substance with a Union workplace exposure limit.	01-2119450011-60
$< 0.1\%$	1,2-benzisothiazol-3(2H)-one	CAS:2634-33-5 EC:220-120-9 Index:613-088-00-6	Acute Tox. 4, H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Acute 1, H400 Skin Sens. 1, H317 Acute Tox. 2, H330 Aquatic Chronic 1, H410, M-Chronic:1, M-Acute:1	

Specific Concentration Limits:
C $\geq 0.036\%$: Skin Sens. 1A H317

Acute Toxicity Estimate:
ATE - Oral: 450mg/kg bw
ATE - Inhalation (Dust/mist):
0.21mg/l

SECTION 4: First aid measures

4.1. Description of first aid measures

In case of skin contact:

After contact with skin, wash with soap and plenty of water. If irritation persists, get medical advice/attention. Wash contaminated clothing before using it again.

In case of eyes contact:

Remove contact lenses, if present. Wash immediately with plenty of water for at least 15 minutes, opening the eyelids fully. If problem persists, seek medical advice.

In case of Ingestion:

Get medical advice/attention. Induce vomiting only if indicated by the doctor. Never give anything by mouth to an unconscious person, unless authorised by a doctor.

In case of Inhalation:

Bring the subject to open air. In the event of breathing difficulties, get medical advice/attention immediately.

4.2. Most important symptoms and effects, both acute and delayed

Causes serious eye irritation. May produce an allergic reaction.

4.3. Indication of any immediate medical attention and special treatment needed

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Treatment: Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

Extinguishing substances are: carbon dioxide, foam, chemical powder. For product loss or leakage that has not caught fire, water spray can be used to disperse flammable vapours and protect those trying to stem the leak.

Extinguishing media which must not be used for safety reasons:

None in particular.

5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE.

Do not breathe combustion products.

5.3. Advice for firefighters

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment.

Remove persons to safety.

See protective measures under point 7 and 8.

6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

Retain contaminated washing water and dispose it.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

Suitable material for taking up: absorbing material, organic, sand

6.3. Methods and material for containment and cleaning up

Suitable material for taking up: absorbing material, organic, sand

Wash with plenty of water.

6.4. Reference to other sections

See also section 8 and 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Don't use empty container before they have been cleaned.

Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.

Contaminated clothing should be changed before entering eating areas.

Do not eat or drink while working.

See also section 8 for recommended protective equipment.

7.2. Conditions for safe storage, including any incompatibilities

Incompatible materials:

None in particular.

Instructions as regards storage premises:

Adequately ventilated premises.

7.3. Specific end use(s)

The intended uses are indicated in section 1. No further specific uses are foreseen.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Community Occupational Exposure Limits (OEL)

	OEL Type	Country	Long Term mg/m3	Long Term ppm	Short Term mg/m3	Short Term ppm	Notes
1-methoxy-2-propanol CAS: 107-98-2	MAK	AUSTRIA	187. 00000000	50.00000000	187. 00000000	50.00000000	
	VLEP	BELGIUM	184. 00000000	50.00000000	369. 00000000	100. 00000000	
	OEL	DENMARK	185. 00000000	50.00000000	370. 00000000	100. 00000000	
	EU		375. 00000000	100. 00000000	568. 00000000	150. 00000000	
	OEL	FINLAND	370. 00000000	100. 00000000	560. 00000000	150. 00000000	
	AGW	GERMANY	370. 00000000	100. 00000000	740. 00000000	200. 00000000	
	MAK	GERMANY	370. 00000000	100. 00000000	740. 00000000	200. 00000000	
	OEL	IRELAND	375. 00000000	100. 00000000	568. 00000000	150. 00000000	
	OEL	ITALY	375. 00000000	100. 00000000	568. 00000000	150. 00000000	
	OEL	LATVIA	375. 00000000	100. 00000000	568. 00000000	150. 00000000	
	OEL	NORWAY	180. 00000000	50.00000000			
	VLEP	ROMANIA	180. 00000000		360. 00000000		
	VLA	SPAIN	375. 00000000	100. 00000000	568. 00000000	150. 00000000	
	OEL	SWEDEN	190. 00000000	50.00000000	568. 00000000	150. 00000000	
	MAK	SWITZERLAND	360. 00000000	100. 00000000	720. 00000000	200. 00000000	
	MAC	NETHERLANDS	375. 00000000		563. 00000000		
	ACGIH			50.00000000		100. 00000000	A4 - Eye and URT irritant
WEL	UNITED KINGDOM OF GREAT BRITAIN AND NORTHERN IRELAND	375. 00000000	100. 00000000	560. 00000000	150. 00000000		

(2-methoxymethylethoxy) propanol
CAS: 34590-94-8

MAK	AUSTRIA	307.00000000	50.00000000	614.00000000	100.00000000
VLEP	BELGIUM	308.00000000	50.00000000		
OEL	DENMARK	309.00000000	50.00000000	618.00000000	100.00000000
EU		308.00000000	50.00000000		
OEL	FINLAND	310.00000000	50.00000000		
OEL	IRELAND	308.00000000	50.00000000		
OEL	ITALY	308.00000000	50.00000000		
OEL	LATVIA	308.00000000	50.00000000		
OEL	NORWAY	300.00000000	50.00000000		
VLEP	ROMANIA	308.00000000	50.00000000		
VLA	SPAIN	308.00000000	50.00000000		
OEL	SWEDEN	300.00000000	50.00000000	450.00000000	75.00000000
MAK	NETHERLANDS	300.00000000			
OSHA PEL	UNITED STATES OF AMERICA	600.00000000	100.00000000		
WEL	UNITED KINGDOM OF GREAT BRITAIN AND NORTHERN IRELAND	308.00000000	50.00000000		

Predicted No Effect Concentration (PNEC) values

	PNEC Limit	Exposure Route	Exposure Frequency	Remark
1-methoxy-2-propanol CAS: 107-98-2	10 mg/l	Fresh Water		
	100 mg/l	Intermittent releases (fresh water)		
	1 mg/l	Marine water		
	52.3 mg/kg	Freshwater sediments		
	5.2 mg/kg	Marine water sediments		
	4.59 mg/kg	Soil		
	100 mg/l	Water		

Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts CAS: 68439-57-6	0.024 mg/l	Fresh Water
	0.002 mg/l	Marine water
	0.767 mg/kg dw	Freshwater sediments
	0.077 mg/kg	Marine water sediments
	4 mg/l	Microorganisms in sewage treatments
(2-methoxymethylethoxy) propanol CAS: 34590-94-8	1.21 mg/kg dw	Soil
	19 mg/l	Fresh Water
	190 mg/l	Intermittent releases (fresh water)
	190000 mg/l	Marine water
	4168 mg/l	Microorganisms in sewage treatments
	70.2 mg/kg dw	Freshwater sediments
	7.02 mg/kg dw	Marine water sediments
1,2-benzisothiazol-3(2H)-one CAS: 2634-33-5	2.74 mg/Kg bw/day	Soil
	3.39 µg/L	Fresh Water
	3.39 µg/L	Intermittent releases (fresh water)
	3.39 µg/L	Marine water
	3.39 µg/L	Intermittent releases (marine water)
	0.23 mg/l	Microorganisms in sewage treatments
	0.047 mg/kg dw	Soil

Derived No Effect Level (DNEL) values

	Worker Industr y	Worker Profess ional	Consu mer	Exposure Route	Exposure Frequency	Remark
1-methoxy-2-propanol CAS: 107-98-2			43.6 mg/m3	Human Inhalation		Long Term, systemic effects
			78 mg/Kg bw/day	Human Dermal		Long Term, systemic effects
			33 mg/Kg bw/day	Human Oral		Long Term (repeated)
	553.5 mg/m3	553.5 mg/m3		Human Inhalation		Short Term (acute)
	369 mg/m3	369 mg/m3		Human Inhalation		Long Term, systemic effects
	183 mg/Kg bw/day	183 mg/Kg bw/day		Human Dermal		Long Term, systemic effects
Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts CAS: 68439-57-6			1295 mg/Kg bw/day	Human Dermal		Long Term, systemic effects
			1 mg/m3	Human Inhalation		Long Term, local effects
			45.04 mg/m3	Human Inhalation		Long Term, systemic effects
			12.95 mg/Kg bw/day	Human Oral		Long Term, systemic effects
	2158.33 mg/Kg bw/day	2158.33 mg/Kg bw/day		Human Dermal		Long Term, systemic effects
	1 mg/m3	1 mg/m3		Human Inhalation		Long Term, local effects
(2-methoxymethylethoxy)propanol CAS: 34590-94-8	152.22 mg/m3	152.22 mg/m3		Human Inhalation		Long Term, systemic effects
	308 mg/m3	308 mg/m3		Human Inhalation		Long Term, systemic effects
	283 mg/Kg bw/day	283 mg/Kg bw/day		Human Dermal		Long Term, systemic effects
			37.2 mg/m3	Human Inhalation		Long Term, systemic effects
			121 mg/Kg bw/day	Human Dermal		Long Term, systemic effects
			36 mg/Kg bw/day	Human Oral		Long Term, systemic effects
1,2-benzisothiazol-3(2H)-one CAS: 2634-33-5	0.021 mg/m3	0.021 mg/m3		Human Inhalation		Long Term, local effects
			0.027 mg/Kg	Human Oral		Long Term, systemic effects

bw/day

0.053 Human Oral Short Term (acute)
mg/Kg
bw/day

8.2. Exposure controls

Eye protection:

Wear airtight protective goggles (see standard EN 166).

Protection for skin:

Wear category I professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344).
Wash body with soap and water after removing protective clothing.

Protection for hands:

Generally not necessary. In case of prolonged contact protect hands with category I work gloves (ref. Standard EN 374).

Recommended material: Nitrile, minimum 0.38 mm thick or equivalent protective barrier material with a high level performance for conditions of use in continuous contact, with a minimum permeability time of 480 minutes in accordance with the CEN standard EN 420 and EN 374.

Respiratory protection:

None required, unless indicated otherwise in the chemical risk assessment.; In the presence of aerosols/mist: A2 P2 filter (EN 14387), color code brown, white. Observe the maximum wearing times of respiratory protection.

Thermal Hazards:

N.A.

Environmental exposure controls:

Emissions from manufacturing processes, including those from ventilation equipment, should be controlled for compliance with environmental protection legislation.

Product residues must not be discharged without control into waste water or water courses.

Hygienic and Technical measures

N.A.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical State Liquid

Appearance and colour: Liquid Yellow

Odour: Like: lemon

pH: 10.10

Kinematic viscosity: N.A.

Melting point / freezing point: N.A.

Initial boiling point and boiling range: N.A. Notes > 100°C

Flash point: N.A.

Upper/lower flammability or explosive limits: N.A.

Vapour density: N.A.

Vapour pressure: N.A.

Relative density: 1.01 g/l

Solubility in water: Soluble

Solubility in oil: N.A.

Partition coefficient (n-octanol/water): N.A.

Auto-ignition temperature: N.A.

Decomposition temperature: N.A.

Flammability: N.A.

Particle characteristics:

Particle size: N.A.

VOC content (g/L) in the product (2010/75/UE) 0.04

VOC content % in the product (2010/75/UE) 4.14

9.2. Other information

No other relevant information

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under normal conditions

10.2. Chemical stability

Product is stable under normal conditions of use and storage.

10.3. Possibility of hazardous reactions

None.

10.4. Conditions to avoid

Avoid contact with strong acids.

10.5. Incompatible materials

None in particular.

10.6. Hazardous decomposition products

In combustion can develop irritant and toxic gases.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicological Information of the Preparation

a) acute toxicity	Not classified	
		Based on available data, the classification criteria are not met
b) skin corrosion/irritation	Not classified	
		Based on available data, the classification criteria are not met
c) serious eye damage/irritation	Not classified	
		Based on available data, the classification criteria are not met
d) respiratory or skin sensitisation	Not classified	
		Based on available data, the classification criteria are not met
e) germ cell mutagenicity	Not classified	
		Based on available data, the classification criteria are not met
f) carcinogenicity	Not classified	
		Based on available data, the classification criteria are not met
g) reproductive toxicity	Not classified	
		Based on available data, the classification criteria are not met
h) STOT-single exposure	Not classified	
		Based on available data, the classification criteria are not met
i) STOT-repeated exposure	Not classified	
		Based on available data, the classification criteria are not met
j) aspiration hazard	Not classified	
		Based on available data, the classification criteria are not met

Toxicological information on main components of the mixture:

1-methoxy-2-propanol	a) acute toxicity	LD50 Oral Rat = 4016 mg/kg	
		LD50 Skin Rat > 2000 mg/kg bw	
	c) serious eye damage/irritation	Eye Irritant Rabbit	
Alcohols, C13-15, branched and linear, ethoxylated	a) acute toxicity	LD50 Oral Rat > 300 mg/kg	
	b) skin corrosion/irritation	Skin Irritant Rabbit Negative	
	c) serious eye damage/irritation	Eye Irritant Rabbit Yes	
Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts	a) acute toxicity	LD50 Skin Rabbit = 6300 mg/kg	
		LC50 Inhalation of aerosol Rat > 52 mg/l	
		LD50 Oral Rat 2079 mg/kg	
(2-methoxymethylethoxy) propanol	a) acute toxicity	LD50 Oral Rat > 5000 mg/kg bw	OECD 401

LD50 Skin Rabbit > 2000 mg/kg bw

OECD 402

1,2-benzisothiazol-3(2H)-one a) acute toxicity

ATE - Oral : 450 mg/kg bw

ATE - Inhalation (Dust/mist) : 0.21 mg/l

LD50 Skin Rat > 294 mg/kg bw

LD50 Oral Rat = 285.5 mg/kg

LC50 Inhalation Rat = 0.13 mg/l

LC50 Inhalation Rat (Female) = 0.1 mg/l

b) skin corrosion/irritation Skin Corrosive Rabbit Positive

c) serious eye damage/irritation Eye Corrosive In vitro

d) respiratory or skin sensitisation Skin Sensitization Guinea pig Positive

11.2. Information on other hazards

Endocrine disrupting properties:

No endocrine disruptor substances present in concentration \geq 0.1%

SECTION 12: Ecological information

12.1. Toxicity

Adopt good working practices, so that the product is not released into the environment.

Eco-Toxicological Information:

List of Eco-Toxicological properties of the product

Not classified for environmental hazards.

No data available for the product

List of Eco-Toxicological properties of the components

Component	Ident. Numb.	Ecotox Data
1-methoxy-2-propanol	CAS: 107-98-2 - EINECS: 203-539-1 - INDEX: 603-064-00-3	a) Aquatic acute toxicity : EC50 Fish Pimephales promelas = 20800 mg/L 96h a) Aquatic acute toxicity : EC50 Daphnia 23300 mg/L 48h a) Aquatic acute toxicity : EC50 Algae Selenastrum capricornutum > 1000 mg/L - 7 days
Alcohols, C13-15, branched and linear, ethoxylated	CAS: 157627-86-6 - EINECS: 500-337-8	a) Aquatic acute toxicity : LC50 Fish Brachydanio rerio > 10 mg/L 96h a) Aquatic acute toxicity : EC50 Daphnia Daphnia magna > 10 mg/L 48h a) Aquatic acute toxicity : EC50 Algae Scenedesmus subspicatus > 10 mg/L 72h
Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts	CAS: 68439-57-6 - EINECS: 931-534-0	a) Aquatic acute toxicity : LC50 Algae 5.2 mg/L a) Aquatic acute toxicity : EC50 Daphnia 4.53 mg/L a) Aquatic acute toxicity : LC50 Fish 4.2 mg/L b) Aquatic chronic toxicity : NOEC Algae 3.2 mg/L
(2-methoxymethylethoxy)propanol	CAS: 34590-94-8 - EINECS: 252-104-2	a) Aquatic acute toxicity : EC50 Daphnia Daphnia Magna > 1000 mg/L a) Aquatic acute toxicity : EC50 Algae Skeletonema > 1000 mg/L
1,2-benzisothiazol-3(2H)-one	CAS: 2634-33-5 - EINECS: 120-9 - INDEX: 613-088-00-6	a) Aquatic acute toxicity : EC50 Daphnia = 2.44 mg/L 48h

a) Aquatic acute toxicity : LC50 Fish = 0.74 mg/L 96h

12.2. Persistence and degradability

Component	Persistence/Degradability Test	Duration Value
1-methoxy-2-propanol	Readily biodegradable	
Alcohols, C13-15, branched and linear, ethoxylated	Readily biodegradable OECD 301B1	28 days 60.000
(2-methoxymethylethoxy)propanol	Readily biodegradable OECD 301F	28 days 79.000
1,2-benzisothiazol-3(2H)-one	Non-readily biodegradable OECD 301B1	28 days 50.000

12.3. Bioaccumulative potential

N.A.

12.4. Mobility in soil

Component	Mobility in soil
1-methoxy-2-propanol	Mobile

12.5. Results of PBT and vPvB assessment

No PBT, vPvB or endocrine disruptor substances present in concentration $\geq 0.1\%$.

12.6 Endocrine disrupting properties

No endocrine disruptor substances present in concentration $\geq 0.1\%$

12.7 Other adverse effects

N.A.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Recover if possible. In so doing, comply with the local and national regulations currently in force.

Waste code:

Waste Code:

Code	Description
	Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations. Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations. CONTAMINATED PACKAGING Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

SECTION 14: Transport information

Not classified as dangerous in the meaning of transport regulations.

14.1. UN number or ID number

N.A.

14.2. UN proper shipping name

N.A.

14.3. Transport hazard class(es)

N.A.

14.4. Packing group

N.A.

14.5. Environmental hazards

N.A.

14.6. Special precautions for user

N.A.

Road and Rail (ADR-RID) :

N.A.

Air (IATA) :

N.A.

Sea (IMDG) :

N.A.

14.7. Maritime transport in bulk according to IMO instruments

N.A.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Dir. 98/24/EC (Risks related to chemical agents at work)

Dir. 2000/39/EC (Occupational exposure limit values)

Regulation (EC) n. 1907/2006 (REACH)

Regulation (EC) n. 1272/2008 (CLP)

Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013

Regulation (EU) n. 2018/699 (ATP 11 CLP)

Regulation (EU) n. 2018/1480 (ATP 13 CLP)

Regulation (EU) n. 286/2011 (ATP 2 CLP)

Regulation (EU) n. 618/2012 (ATP 3 CLP)

Regulation (EU) n. 487/2013 (ATP 4 CLP)

Regulation (EU) n. 944/2013 (ATP 5 CLP)

Regulation (EU) n. 605/2014 (ATP 6 CLP)

Regulation (EU) n. 2015/1221 (ATP 7 CLP)

Regulation (EU) n. 2016/918 (ATP 8 CLP)

Regulation (EU) n. 2016/1179 (ATP 9 CLP)

Regulation (EU) n. 2017/776 (ATP 10 CLP)

Regulation (EU) n. 2018/699 (ATP 11 CLP)

Regulation (EU) n. 2018/1480 (ATP 13 CLP)

Regulation (EU) n. 2019/521 (ATP 12 CLP)

Regulation (EU) n. 2020/217 (ATP 14 CLP)

Regulation (EU) n. 2020/1182 (ATP 15 CLP)

Regulation (EU) n. 2021/643 (ATP 16 CLP)

Regulation (EU) n. 2020/878

Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications:

Restrictions related to the product: 3, 40

Restrictions related to the substances contained: 30, 70, 75

Provisions related to directive EU 2012/18 (Seveso III):

N.A.

Regulation (EU) No 649/2012 (PIC regulation)

No substances listed

German Water Hazard Class.

Class 1: slightly hazardous for water.

SVHC Substances:

No data available

Dir. 2004/42/EC (VOC directive)

(ready to use)

Volatile Organic compounds - VOCs = 6.84 %

Volatile Organic compounds - VOCs = 0.07 g/L

Dir. 2010/75/EC (VOC directive)

Volatile Organic compounds - VOCs = 4.14 %

Volatile Organic compounds - VOCs = 0.04 g/L

15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out for the mixture.

Substances for which a Chemical Safety Assessment has been carried out:

SECTION 16: Other information

Code	Description
H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
H412	Harmful to aquatic life with long lasting effects.

Code	Hazard class and hazard category	Description
2.6/3	Flam. Liq. 3	Flammable liquid, Category 3
3.1/4/Oral	Acute Tox. 4	Acute toxicity (oral), Category 4
3.2/2	Skin Irrit. 2	Skin irritation, Category 2
3.3/1	Eye Dam. 1	Serious eye damage, Category 1
3.3/2	Eye Irrit. 2	Eye irritation, Category 2
3.8/3	STOT SE 3	Specific target organ toxicity — single exposure, Category 3
4.1/C3	Aquatic Chronic 3	Chronic (long term) aquatic hazard, category 3

This document was prepared by a competent person who has received appropriate training.

Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This MSDS cancels and replaces any preceding release.

Legend to abbreviations and acronyms used in the safety data sheet:

ACGIH: American Conference of Governmental Industrial Hygienists

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.

AND: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

ATE: Acute Toxicity Estimate

ATEmix: Acute toxicity Estimate (Mixtures)

BCF: Biological Concentration Factor

BEI: Biological Exposure Index

BOD: Biochemical Oxygen Demand

CAS: Chemical Abstracts Service (division of the American Chemical Society).

CAV: Poison Center

CE: European Community

CLP: Classification, Labeling, Packaging.

CMR: Carcinogenic, Mutagenic and Reprotoxic

COD: Chemical Oxygen Demand

COV: Volatile Organic Compound

CSA: Chemical Safety Assessment

CSR: Chemical Safety Report

DMEL: Derived Minimal Effect Level

DNEL: Derived No Effect Level.

DPD: Dangerous Preparations Directive

DSD: Dangerous Substances Directive

EC50: Half Maximal Effective Concentration

ECHA: European Chemicals Agency

EINECS: European Inventory of Existing Commercial Chemical Substances.

ES: Exposure Scenario

GefStoffVO: Ordinance on Hazardous Substances, Germany.

GHS: Globally Harmonized System of Classification and Labeling of Chemicals.

IARC: International Agency for Research on Cancer
IATA: International Air Transport Association.
IATA-DGR: Dangerous Goods Regulation by the "International Air Transport Association" (IATA).
IC50: half maximal inhibitory concentration
ICAO: International Civil Aviation Organization.
ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO).
IMDG: International Maritime Code for Dangerous Goods.
INCI: International Nomenclature of Cosmetic Ingredients.
IRCCS: Scientific Institute for Research, Hospitalization and Health Care
KAFH: KAFH
KSt: Explosion coefficient.
LC50: Lethal concentration, for 50 percent of test population.
LD50: Lethal dose, for 50 percent of test population.
LDLo: Leathal Dose Low
N.A.: Not Applicable
N/A: Not Applicable
N/D: Not defined/ Not available
NA: Not available
NIOSH: National Institute for Occupational Safety and Health
NOAEL: No Observed Adverse Effect Level
OSHA: Occupational Safety and Health Administration.
PBT: Persistent, Bioaccumulative and Toxic
PGK: Packaging Instruction
PNEC: Predicted No Effect Concentration.
PSG: Passengers
RID: Regulation Concerning the International Transport of Dangerous Goods by Rail.
STEL: Short Term Exposure limit.
STOT: Specific Target Organ Toxicity.
TLV: Threshold Limiting Value.
TWATLV: Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard).
vPvB: Very Persistent, Very Bioaccumulative.
WGK: German Water Hazard Class.