

DECLARATION OF PERFORMANCE
No. 2014/0001

1. Unique identification code of the product-type:

For article numbers, see attached list

2. Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

The product name and code for identifying is stated on the label of the packaging.

3. Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

Towel radiators for central water heating system

4. Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Nordhem Värme AB
Utängarna 26
417 48 Göteborg, Sweden
Tel. +46 (0)31-232527
Fax. +46 (0)31-555579
e-mail: info@nordhem.se
www.nordhem.se

5. Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12(2):

Not applicable

6. System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V:

System 4

7. In case of the declaration of performance concerning a construction product covered by a harmonised standard:

Determination of product type and factory production control by the manufacturer

8. In case of the declaration of performance concerning a construction product for which a European Technical Assessment has been issued:

Not applicable

9. Declared performance

Essential characteristics	Performance	Harmonized technical specification
Reaction to fire	NPD	EN 442-1
Release of dangerous substances	NPD	EN 442-1
Pressure tightness	NPD	EN 442-1
Rated thermal output	NPD	EN 442-1
Durability	NPD	EN 442-1

10. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9.
This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:


.....
(signature)

Rolf Skinner, Managing Director
.....

(name and function)

Gothenburg 2014-04-15
.....

(place and date of issue)



Product type	Article no	Article	Designation code	RSK-no	GTIN (EAN)
Towel radiator	BKC1045	BORGHOLM CV KROM, 950x450/415MM/ 412/214W	EN 442-1	8756299	7340100011371
Towel radiator	BKC1060	BORGHOLM CV KROM, 950x600/559MM/ 528/275W	EN 442-1	8756300	7340100011388
Towel radiator	BKC1075	BORGHOLM CV KROM, 950x750/712MM/ 642/334W	EN 442-1	8756301	7340100011395
Towel radiator	BKC1345	BORGHOLM CV KROM, 1290x450/415MM/ 559/291W	EN 442-1	8756302	7340100011401
Towel radiator	BKC1360	BORGHOLM CV KROM, 1290x600/559MM/ 716/372W	EN 442-1	8756303	7340100011418
Towel radiator	BKC1375	BORGHOLM CV KROM, 1290x750/712MM/ 870/452W	EN 442-1	8756304	7340100011425
Towel radiator	BKC1745	BORGHOLM CV KROM, 1640x450/415MM/ 702/365W	EN 442-1	8756305	7340100011432
Towel radiator	BKC1760	BORGHOLM CV KROM, 1640x600/559MM/ 898/467W	EN 442-1	8756306	7340100011449
Towel radiator	BKC1775	BORGHOLM CV KROM, 1640x750/712MM/ 1081/562W	EN 442-1	8756307	7340100011456
Towel radiator	BVC1045	BORGHOLM CV VIT, 950x450/415MM/ 412/214W	EN 442-1	8756290	7340100011289
Towel radiator	BVC1060	BORGHOLM CV VIT, 950x600/559MM/ 528/275W	EN 442-1	8756291	7340100011296
Towel radiator	BVC1075	BORGHOLM CV VIT, 950x750/712MM/ 642/334W	EN 442-1	8756292	7340100011302
Towel radiator	BVC1345	BORGHOLM CV VIT, 1290x450 / 415MM / 559/291W	EN 442-1	8756293	7340100011319
Towel radiator	BVC1360	BORGHOLM CV VIT, 1290x600 / 559MM / 716/372W	EN 442-1	8756294	7340100011326
Towel radiator	BVC1375	BORGHOLM CV VIT, 1290x750/712MM/ 870/452W	EN 442-1	8756295	7340100011333
Towel radiator	BVC1745	BORGHOLM CV VIT, 1640x450/415MM/ 702/365W	EN 442-1	8756296	7340100011340
Towel radiator	BVC1760	BORGHOLM CV VIT, 1640x600/559MM/ 898/467W	EN 442-1	8756297	7340100011357
Towel radiator	BVC1775	BORGHOLM CV VIT, 1640x750/712MM/ 1081/562W	EN 442-1	8756298	7340100011364
Towel radiator	CKC1215	CARLSTEN CV KROM 1200x125/75MM 85/44W	EN 442-1	8756596	7340100015300
Towel radiator	CKC1220	CARLSTEN CV KROM 1200x200/150MM 125/65W	EN 442-1	8756597	7340100015317
Towel radiator	CKC1230	CARLSTEN CV KROM 1200x275/225MM 166/86W	EN 442-1	8756598	7340100015324
Towel radiator	CKC1235	CARLSTEN CV KROM 1200x350/300MM 207/108W	EN 442-1	8756599	7340100015331
Towel radiator	CKC1245	CARLSTEN CV KROM 1200x425/375MM 248/129W	EN 442-1	8756600	7340100015348
Towel radiator	CSC1215	CARLSTEN CV ANTRACIT 1200x125/75MM 126/66W	EN 442-1	8756601	7340100015201
Towel radiator	CSC1220	CARLSTEN CV ANTRACIT 1200x200/150MM 189/89W	EN 442-1	8756602	7340100015218
Towel radiator	CSC1230	CARLSTEN CV ANTRACIT 1200x275/225MM 252/131W	EN 442-1	8756603	7340100015225
Towel radiator	CSC1235	CARLSTEN CV ANTRACIT 1200x350/300MM 314/163W	EN 442-1	8756604	7340100015232
Towel radiator	CSC1245	CARLSTEN CV ANTRACIT 1200x425/375MM 377/196W	EN 442-1	8756605	7340100015249
Towel radiator	DKC0945	DROTTNINGHOLM CV KROM, 940x450/415MM/ 412/214W	EN 442-1	8756308	7340100011463
Towel radiator	DKC0960	DROTTNINGHOLM CV KROM, 940x600/560MM/ 528/275W	EN 442-1	8756309	7340100011470
Towel radiator	DKC0975	DROTTNINGHOLM CV KROM, 940x750/710MM/ 642/334W	EN 442-1	8756310	7340100011487
Towel radiator	DKC1345	DROTTNINGHOLM CV KROM, 1300x450/415MM/ 559/291W	EN 442-1	8756311	7340100011494
Towel radiator	DKC1360	DROTTNINGHOLM CV KROM, 1300x600/560MM/ 716/372W	EN 442-1	8756312	7340100011500



Towel radiator	DKC1375	DROTTNINGHOLM CV KROM, 1300x750/710MM/ 870/452W	EN 442-1	8756313	7340100011517
Towel radiator	DKC1645	DROTTNINGHOLM CV KROM, 1650x450/415MM/ 702/365W	EN 442-1	8756314	7340100011524
Towel radiator	DKC1660	DROTTNINGHOLM CV KROM, 1650x600/560MM/ 898/467W	EN 442-1	8756315	7340100011531
Towel radiator	DKC1675	DROTTNINGHOLM CV KROM, 1650x750/710MM/ 1081/562W	EN 442-1	8756316	7340100011548
Towel radiator	DRC0945	DROTTNINGHOLM CV ROSTFRI, 940x450/415MM/ 412/214W	EN 442-1		7340100014075
Towel radiator	DRC0960	DROTTNINGHOLM CV ROSTFRI, 940x600/560MM/ 528/275W	EN 442-1		7340100014082
Towel radiator	DRC0975	DROTTNINGHOLM CV ROSTFRI, 940x750/710MM/ 642/334W	EN 442-1		7340100014099
Towel radiator	DRC1360	DROTTNINGHOLM CV ROSTFRI, 1300x600/560MM 716/372W	EN 442-1		7340100014105
Towel radiator	DRC1645	DROTTNINGHOLM CV ROSTFRI, 1650x450/415MM/ 702/365W	EN 442-1		7340100014112
Towel radiator	DSC 0975	DROTTNINGHOLM CV SATIN 940*750/560 MM/467W	EN 442-1		7340100014020
Towel radiator	DSC0945	DROTTNINGHOLM CV SATIN, 940*450/415MM/ 412/214W	EN 442-1	8756317	7340100014037
Towel radiator	DSC1360	DROTTNINGHOLM CV SATIN, 1290*600/560MM/ 716/372W	EN 442-1	8756319	7340100014044
Towel radiator	EKC0770	EKENÄS CV KROM, 675x675/600MM/ 244/127W	EN 442-1	8756745	7340100013184
Towel radiator	GKC0850	GRIPSHOLM CV KROM 790x500/450MM/ 260/135W	EN 442-1	8756531	7340100012903
Towel radiator	GKC0860	GRIPSHOLM CV KROM 790x600/550MM/340/177W	EN 442-1	8756532	7340100012910
Towel radiator	GKC1350	GRIPSHOLM CV KROM 1280x500/450 MM/ 390/203W	EN 442-1	8756533	7340100012927
Towel radiator	GKC1360	GRIPSHOLM CV KROM 1280x600/550MM/ 490/255W	EN 442-1	8756534	7340100012934
Towel radiator	GRC0850	GRIPSHOLM CV ROSTFRITT 790x500/450MM/ 260/135W	EN 442-1	8756535	7340100012941
Towel radiator	GRC0860	GRIPSHOLM CV ROSTFRITT 790x600/550MM/ 340/177W	EN 442-1	8756536	7340100012958
Towel radiator	GRC1350	GRIPSHOLM CV ROSTFRITT 1280x500/450MM/ 390/203W	EN 442-1	8756537	7340100012965
Towel radiator	GRC1360	GRIPSHOLM CV ROSTFRITT 1280x600/550MM/ 490/255W	EN 442-1	8756538	7340100012972
Towel radiator	KLC1260	KRONOVALL CV LACKAD RALxxxx, 1200x600/518MM / 302/157W	EN 442-1		
Towel radiator	KSC1260	KRONOVALL CV MATTSVART, 1200x600/518MM / 302/157W	EN 442-1	8756550	7340100014211
Towel radiator	KVC1260	KRONOVALL CV MATTVIT, 1200x600/518MM / 302/157W	EN 442-1	8756551	7340100014228
Towel radiator	LKC0850	LÄCKÖ CV KROM, 790x500/468MM/ 248/129W	EN 442-1	8756332	7340100011692
Towel radiator	LKC0860	LÄCKÖ CV KROM, 790x600/568MM/ 325/169W	EN 442-1	8756333	7340100011708
Towel radiator	LKC1250	LÄCKÖ CV KROM, 1210x500/468MM/ 374/194W	EN 442-1	8756334	7340100011715
Towel radiator	LKC1260	LÄCKÖ CV KROM, 1210x600/568MM/ 470/244W	EN 442-1	8756335	7340100011722
Towel radiator	LRC0850	LÄCKÖ CV ROSTFRITT, 790x500/468MM/ 218/129W	EN 442-1	8756336	7340100011739
Towel radiator	LRC0860	LÄCKÖ CV ROSTFRITT, 790x600/568MM/ 325/169W	EN 442-1	8756337	7340100011746
Towel radiator	LRC1250	LÄCKÖ CV ROSTFRITT, 1210x500/468MM/ 374/194W	EN 442-1	8756338	7340100011753
Towel radiator	LRC1260	LÄCKÖ CV ROSTFRITT, 1210*600/568MM/ 470/244W	EN 442-1	8756339	7340100011760
Towel radiator	NKC0840	NÄÄS CV KROM, 780x400	EN 442-1	8756830	7340100016017
Towel radiator	NKC0850	NÄÄS CV KROM, 780x500/468MM/ 167/87W	EN 442-1	8756475	7340100012095
Towel radiator	NKC0860	NÄÄS CV KROM 780x600/568MM/ 218/113W	EN 442-1	8756476	7340100012101



Towel radiator	NKC1240	NÄÄS CV KROM 1210x400	EN 442-1	8756831	7340100016024
Towel radiator	NKC1250	NÄÄS CV KROM 1210x500/468MM/ 251/131W	EN 442-1	8756477	7340100012118
Towel radiator	NKC1260	NÄÄS CV KROM 1210x600 568MM/ 315/164W	EN 442-1	8756478	7340100012125
Towel radiator	NKK0850	NÄÄS KROM KOPPAR 780X500MM 167/87W	EN 442-1		
Towel radiator	NKK0860	NÄÄS KROM KOPPAR 780X600MM 218/113W	EN 442-1		
Towel radiator	NKK1250	NÄÄS KROM KOPPAR 1210X500MM 251/131W	EN 442-1		
Towel radiator	NKK1260	NÄÄS KROM KOPPAR 1210X600MM 315/164W	EN 442-1		
Towel radiator	NRC0850	NÄÄS CV ROSTFRI 780x500/468MM/ 167/87W	EN 442-1	8756479	7340100012132
Towel radiator	NRC0860	NÄÄS CV ROSTFRI ,780x600/568MM/ 218/113W	EN 442-1	8756480	7340100012149
Towel radiator	NRC1250	NÄÄS CV ROSTFRI 1210x500, 468MM/ 251/131W	EN 442-1	8756481	7340100012156
Towel radiator	NRC1260	NÄÄS CV ROSTFRI 1210x600, 568MM/ 315/164W	EN 442-1	8756482	7340100012163
Towel radiator	OKC0840	ÖRTOFTA KROM CV 780X400MM	EN 442-1	8756832	7340100015966
Towel radiator	OKC0850	ÖRTOFTA KROM CV 780X500MM	EN 442-1	8756833	7340100015997
Towel radiator	OKC1240	ÖRTOFTA KROM CV 1210X400MM	EN 442-1	8756834	7340100015973
Towel radiator	OKC1250	ÖRTOFTA KROM CV 1210X500MM	EN 442-1	8756849	7340100016000
Towel radiator	RKC0925	ROSENDAL CV KROM, 950x260/228MM/ 248/129W	EN 442-1	8756485	7340100012170
Towel radiator	RKC0940	ROSENDAL CV KROM, 950x420/377MM/ 372/193W	EN 442-1	8756521	7340100012361
Towel radiator	RKC1505	ROSENDAL CV KROM, 1500x38MM/87/45W	EN 442-1	8756746	7340100012408
Towel radiator	RKC1515	ROSENDAL CV KROM, 1500x120/77MM/ 175/91W	EN 442-1	8756522	7340100012378
Towel radiator	RKC1525	ROSENDAL CV KROM, 1500x260/228MM/ 350/182W	EN 442-1	8756486	7340100012187
Towel radiator	RKC1530	ROSENDAL XL CV KROM, 1500x290/220MM/ 483/251W	EN 442-1	8756539	7340100012392
Towel radiator	RKC1540	ROSENDAL CV KROM, 1500x420/377MM/ 525/273W	EN 442-1	8756523	7340100012385
Towel radiator	RRC0925	ROSENDAL CV ROSTFRI, 950x260/228MM/ 248/129W	EN 442-1	8756487	7340100012194
Towel radiator	RRC0940	ROSENDAL CV ROSTFRI, 950x420/377MM/ 372/193W	EN 442-1	8756524	7340100012484
Towel radiator	RRC1505	ROSENDAL CV ROSTFRI, 1500*38mm/ 87/45W	EN 442-1	8756747	7340100012521
Towel radiator	RRC1515	ROSENDAL CV ROSTFRI, 1500x120/75MM/ 175/91W	EN 442-1	8756525	7340100012491
Towel radiator	RRC1525	ROSENDAL CV ROSTFRI, 1500x260/228MM/ 350/182W	EN 442-1	8756488	7340100012200
Towel radiator	RRC1530	ROSENDAL XL CV ROSTFRI, 1500x290/220MM/ 483/251W	EN 442-1	8756540	7340100012514
Towel radiator	RRC1540	ROSENDAL CV ROSTFRI, 1500x420/377MM/ 525/273W	EN 442-1	8756526	7340100012507
Towel radiator	RSC0925	ROSENDAL CV ANTRACIT, 950x260/228MM/ 248/129W	EN 442-1	8756504	7340100012699
Towel radiator	RSC0940	ROSENDAL CV ANTRACIT, 950x400/377MM/ 372/193W	EN 442-1	8756527	7340100012705
Towel radiator	RSC1505	ROSENDAL CV ANTRACIT, 1500x38MM/ 87/45W	EN 442-1	8756748	7340100012750
Towel radiator	RSC1515	ROSENDAL CV ANTRACIT, 1500x120/75MM/ 175/91W	EN 442-1	8756528	7340100012712
Towel radiator	RSC1525	ROSENDAL CV ANTRACIT, 1500x260/228/ 350/182W	EN 442-1	8756529	7340100012729
Towel radiator	RSC1530	ROSENDAL XL CV ANTRACIT, 1500x290/220MM/ 483/251W	EN 442-1	8756541	7340100012743
Towel radiator	RSC1540	ROSENDAL CV ANTRACIT, 1500x420/377MM/ 525/273W	EN 442-1	8756530	7340100012736
Towel radiator	SKC0640	SOFIERO CV KROM, 650x400/358MM/ 228/119W	EN 442-1	8756280	7340100011180
Towel radiator	SKC0850	SOFIERO CV KROM, 790x480/439MM/ 313/163W	EN 442-1	8756281	7340100011197
Towel radiator	SKC0860	SOFIERO CV KROM, 790x600/555MM/ 424/220W	EN 442-1	8756282	7340100011203
Towel radiator	SKC0875	SOFIERO CV KROM, 790x750/708MM/ 514/267W	EN 442-1	8756283	7340100011210



Towel radiator	SKC1250	SOFIERO CV KROM, 1210x480/439MM/ 498/259W	EN 442-1	8756284	7340100011227
Towel radiator	SKC1260	SOFIERO CV KROM, 1210x600/555MM/ 650/338W	EN 442-1	8756285	7340100011234
Towel radiator	SKC1275	SOFIERO CV KROM, 1210x750/708MM/ 796/414W	EN 442-1	8756286	7340100011241
Towel radiator	SKC1750	SOFIERO CV KROM, 1690x480/439MM/ 682/355W	EN 442-1	8756287	7340100011258
Towel radiator	SKC1760	SOFIERO CV KROM, 1690x600/555MM/ 884/460W	EN 442-1	8756288	7340100011265
Towel radiator	SKC1775	SOFIERO CV KROM, 1690x750/708MM/ 1092/568W	EN 442-1	8756289	7340100011272
Towel radiator	SVC0640	SOFIERO CV VIT, 650x400/358MM/ 228/119W	EN 442-1	8756270	7340100011081
Towel radiator	SVC0850	SOFIERO CV VIT, 790x480/439MM/ 313/163W	EN 442-1	8756271	7340100011098
Towel radiator	SVC0860	SOFIERO CV VIT, 790x600/555MM/ 424/220W	EN 442-1	8756272	7340100011104
Towel radiator	SVC0875	SOFIERO CV VIT, 790x750/708MM/ 514/267W	EN 442-1	8756273	7340100011111
Towel radiator	SVC1250	SOFIERO CV VIT, 1210x480/439MM/ 498/259W	EN 442-1	8756274	7340100011128
Towel radiator	SVC1260	SOFIERO CV VIT, 1210x600/555MM/ 650/338W	EN 442-1	8756275	7340100011135
Towel radiator	SVC1275	SOFIERO CV VIT, 1210x750/708MM/ 796/414W	EN 442-1	8756276	7340100011142
Towel radiator	SVC1750	SOFIERO CV VIT, 1690x480/439MM/ 682/355W	EN 442-1	8756277	7340100011159
Towel radiator	SVC1760	SOFIERO CV VIT, 1690x600/555MM/ 884/460W	EN 442-1	8756278	7340100011166
Towel radiator	SVC1775	SOFIERO CV VIT, 1690x750/708MM/ 1092/568W	EN 442-1	8756279	7340100011173
Towel radiator	TAC0860	TULLGARN CV ALUMINIUM, 800*600/50MM/ 383/180W	EN 442-1	8756489	7340100013986
Towel radiator	TAE0860	TULLGARN EL ALUMINIUM *920*600/50MM/300W	EN 442-1	8756394	7340100014013
Towel radiator	TKC0860	TULLGARN CV KROM 800x600/ 50MM/ 427/222W	EN 442-1	8756542	7340100013061
Towel radiator	TKC1260	TULLGARN CV KROM 1200x600MM/50MM/ 631/328W	EN 442-1	8756543	7340100013078
Towel radiator	TKC1760	TULLGARN CV KROM 1680x600/50 MM/ 889/462W	EN 442-1	8756544	7340100013085
Towel radiator	TSC0860	TULLGARN CV ANTRACIT 800x600/50MM/ 427/222W	EN 442-1	8756545	7340100013092
Towel radiator	TSC1260	TULLGARN CV ANTRACIT 1200x600/50MM/631/ 328W	EN 442-1	8756546	7340100013108
Towel radiator	TSC1760	TULLGARN CV ANTRACIT 1680x600/50MM/ 889/462W	EN 442-1	8756547	7340100013115
Towel radiator	UKC0650	ULRIKSDAL CV KROM, 610x500/446MM/200/104W	EN 442-1	8756749	7340100013207
Towel radiator	UKC0670	ULRIKSDAL CV KROM, 610x700/646MM/268/139W	EN 442-1	8756750	7340100013214
Towel radiator	UKC0690	ULRIKSDAL CV KROM, 610x900/846MM/336/175W	EN 442-1	8756751	7340100013221
Towel radiator	UKC0850	ULRIKSDAL CV KROM, 840x500/446MM/268/139W	EN 442-1	8756752	7340100013238
Towel radiator	UKC0870	ULRIKSDAL CV KROM, 840x700/646MM/359/187W	EN 442-1	8756753	7340100013245
Towel radiator	UKC0890	ULRIKSDAL CV KROM, 840x900/846MM/450/234W	EN 442-1	8756754	7340100013252
Towel radiator	UKC1350	ULRIKSDAL CV KROM, 1290x500/446MM/405/211W	EN 442-1	8756755	7340100013269
Towel radiator	UKC1370	ULRIKSDAL CV KROM, 1290x700/646MM/542/282W	EN 442-1	8756756	7340100013276
Towel radiator	UKC1390	ULRIKSDAL CV KROM, 1290x900/846MM/678/353W	EN 442-1	8756757	7340100013283
Towel radiator	URC0650	ULRIKSDAL CV ROSTFRI, 610x500/446MM/200/104W	EN 442-1	8756758	7340100013290
Towel radiator	URC0670	ULRIKSDAL CV ROSTFRI, 610x700/646MM/268/139W	EN 442-1	8756759	7340100013306
Towel radiator	URC0690	ULRIKSDAL CV ROSTFRI, 610*900/846MM/336/175W	EN 442-1	8756760	7340100013313
Towel radiator	URC0850	ULRIKSDAL CV ROSTFRI, 840x500/446MM/268/139	EN 442-1	8756761	7340100013320
Towel radiator	URC0870	ULRIKSDAL CV ROSTFRI, 840*700/646MM/359/187W	EN 442-1	8756762	7340100013337
Towel radiator	URC0890	ULRIKSDAL CV ROSTFRI, 840*900/846MM/450/234W	EN 442-1	8756763	7340100013344
Towel radiator	URC1350	ULRIKSDAL CV ROSTFRI, 1290x500/446MM/405/211W	EN 442-1	8756764	7340100013351
Towel radiator	URC1370	ULRIKSDAL CV ROSTFRI,	EN 442-1	8756765	7340100013368

		1290*700/846MM/542/282W			
Towel radiator	URC1390	ULRIKSDAL CV ROSTFRI, 1290x900/846MM/678/353W	EN 442-1	8756766	7340100013375
Towel radiator	USC0650	ULRIKSDAL CV ANTRACIT, 610x500/446MM/ 200/104W	EN 442-1	8756767	7340100013382
Towel radiator	USC0670	ULRIKSDAL CV ANTRACIT, 610x700/646MM/268/139W	EN 442-1	8756768	7340100013399
Towel radiator	USC0690	ULRIKSDAL CV ANTRACIT, 610x900/846MM/336/175W	EN 442-1	8756769	7340100013405
Towel radiator	USC0850	ULRIKSDAL CV ANTRACIT, 840x500/446MM/ 268/139W	EN 442-1	8756770	7340100013412
Towel radiator	USC0870	ULRIKSDAL CV ANTRACIT, 840x700/646MM/359/187W	EN 442-1	8756771	7340100013429
Towel radiator	USC0890	ULRIKSDAL CV ANTRACIT, 840x900/846MM/450/234W	EN 442-1	8756772	7340100013436
Towel radiator	USC1350	ULRIKSDAL CV ANTRACIT, 1290x500/446MM/405/211W	EN 442-1	8756773	7340100013443
Towel radiator	USC1370	ULRIKSDAL CV ANTRACIT, 1290x700/646MM/542/282W	EN 442-1	8756774	7340100013450
Towel radiator	USC1390	ULRIKSDAL CV ANTRACIT, 1290x900/846MM/678/353W	EN 442-1	8756775	7340100013467
Towel radiator	ZKC0509	SOLLIDEN CV, KROM, 480x905/873MM/ 299/155W	EN 442-1	8756492	7340100011616
Towel radiator	ZKC0512	SOLLIDEN CV KROM, 480x1210/1178MM/ 387/201W	EN 442-1	8756320	7340100011555
Towel radiator	ZKC0650	SOLLIDEN CV KROM, 580x500/468MM/ 183/95W	EN 442-1	8756321	7340100011562
Towel radiator	ZKC0850	SOLLIDEN CV KROM, 790x500/468MM/ 248/129W	EN 442-1	8756322	7340100011579
Towel radiator	ZKC0860	SOLLIDEN CV KROM, 790x600/568MM/ 325/169W	EN 442-1	8756323	7340100011586
Towel radiator	ZKC1250	SOLLIDEN CV KROM, 1210x500/468MM/ 374/194W	EN 442-1	8756324	7340100011593
Towel radiator	ZKC1260	SOLLIDEN CV KROM, 1210x600/568MM/ 470/244W	EN 442-1	8756325	7340100011609
Towel radiator	ZKC1650	SOLLIDEN CV KROM, 1630x500/468MM/ 498/259W	EN 442-1	8756552	7340100014235
Towel radiator	ZKC1660	SOLLIDEN CV KROM, 1630x600/568MM/ 626/326W	EN 442-1	8756553	7340100014242
Towel radiator	ZRC0509	SOLLIDEN CV ROSTFRI, 480x905/873MM/ 299/155W	EN 442-1	8756493	7340100011685
Towel radiator	ZRC0512	SOLLIDEN CV ROSTFRI, 480x1210/1178MM/ 387/201W	EN 442-1	8756326	7340100011623
Towel radiator	ZRC0650	SOLLIDEN CV ROSTFRI, 580x500/468MM/ 183/95W	EN 442-1	8756327	7340100011630
Towel radiator	ZRC0850	SOLLIDEN CV ROSTFRI, 790x500/468MM/ 248/129W	EN 442-1	8756328	7340100011647
Towel radiator	ZRC0860	SOLLIDEN CV ROSTFRI, 790x600/568MM/ 325/169W	EN 442-1	8756329	7340100011654
Towel radiator	ZRC1250	SOLLIDEN CV ROSTFRI, 1210x500/468MM/ 374/194W	EN 442-1	8756330	7340100011661
Towel radiator	ZRC1260	SOLLIDEN CV ROSTFRI, 1210x600/568MM/ 470/244W	EN 442-1	8756331	7340100011678
Towel radiator	ZRC1650	SOLLIDEN CV ROSTFRI, 1630x500/468MM / 498/259W	EN 442-1	8756554	7340100014259
Towel radiator	ZRC1660	SOLLIDEN CV ROSTFRI, 1630x600/568MM / 626/326W	EN 442-1	8756555	7340100014273